

AMENDMENTS TO THE CLAIMS

Claim 1 (currently amended). A redetachable self-adhesive device, in the form of a structure

a) having comprising a surface which is bonded to one side of a strip of double-sided adhesive sheet with at least one end of the adhesive sheet projecting beyond at least one edge of said surface as a grip tab,

b) the adhesive sheet being of a kind that is redetachable by pulling on the grip tab of the strip to stretch the strip in the direction of the bond plane,

wherein

c) said surface, in the area immediately adjacent to said at least one end of the adhesive sheet projecting as a grip tab, has an average roughness R_a of 0.4-25 μm .

Claim 2. (cancelled).

Claim 3 (previously presented). The device as claimed in claim 1, wherein said average roughness R_a is 2-20 μm .

Claim 4 (previously presented). The device as claimed in claim 1, wherein said surface area, immediately adjacent to said grip and having the average roughness R_a , has an average depth of roughness R_z of 1-150 μm .

Claim 5 (currently amended). The device as claimed in claim 1, wherein the area having the average roughness R_a is produced together with the device by injection

molding, or is produced ~~in a subsequent step~~ by etching, grinding, embossing or spark erosion.

Claim 6 (previously presented). The device as claimed in claim 4, wherein the width of the area having the average roughness R_a corresponds to or exceeds the width of the adhesive strip, and has a depth of 0.5-20 mm.

Claim 7 (currently amended). The device as claimed in claim 1, wherein said surface has two opposite edges wherein the areas of said surface immediatly adjacet to said two opposite edges of said surface have said average roughness R_a .

Claim 8 (previously presented). The device as claimed in claim 1, further comprising spacers the heights of which are less than the thickness of the adhesive sheet strip.

Claim 9 (cancelled)

Claim 10 (currently amended). The device as claimed in claim 1, wherein the double-sided adhesive sheet strip is elastically or plastically extensible with or without a carrier in between the two sides of said double-sided adhesive sheet.

Claim 11 (currently amended). The device as claimed in claim 1, wherein the adhesion of the adhesive sheet strip is less than the cohesion, the adhesion largely

disappears when the sheet is extended, and the ratio of peel force to tear load is at least 1:2.0, the adhesive sheet being based on thermoplastic rubber and tackifying resins, ~~with high elasticity and low plasticity.~~

Claim 12 (previously presented). The device as claimed in claim 1, wherein the surface of the adhesive sheet strip opposite the surface that is bonded to the surface of the device is lined with a release laminate or a release film.

Claim 13 (currently amended). The device as claimed in claim 1, wherein said device comprises a hook or latching projection, ~~having hooks, latching projections or the like,~~ located on its front face, laterally or both.

Claim 14. (Cancelled).

Claim 15. (previously presented) The device of Claim 4, wherein said depth of roughness is 2-100 μm

Claim 16. (previously presented). The device of Claim 6, wherein said depth measures 0.5-15 mm.

Claim 17. (previously presented). The device of Claim 9, wherein said low static friction and low sliding friction surface is a low-energy polymer surface.

Claim 18 (previously presented). The device of Claim 12, wherein said release laminate or release film is a siliconized release paper.